



2018 | CATALOG



TABLE OF CONTENTS

About The Tech Warranty	p.04-09
CG2 Light Cannons Covers	p.10-17
LED Light Bars XPR-S XPR Xmitter Prime Xtreme Xmitter Lo Pro Prime Xtreme Chaser / Dune Chaser	p.20-35
LED Headlights Vx Series XMC Motorcycle	p.38-43
LED Lights Light Cannon Optimus Solo Pod Duralux VL Series UMX	p.44-55
Vehicle Specific Kits RZR VX Grilles Trucks Jeeps	p.56-63
HID Halogen	p.64-67
Sport Marine Accent Lighting Accessories	p.68-75



QUALITY AS A PRIORITY




INGRESS PROTECTION

Products are sprayed from close distances with 80~100 BAR water pressure to verify the ingress protection rating, ensuring they are sealed properly.



SUBMERSION & AGING

Once products are assembled every product is run through a submersion (water dunk test), then placed onto an aging rack and powered up for 30 minutes.



THERMAL IMPACT

Products are placed in a -40°C chamber for 30 minutes, and then placed in a 80°C chamber for an additional 30 minutes. Products are then left on for 72 hours.




LONG TERM DURABILITY

Products are then switched on and off 20,000 times repeatedly to ensure that they remain functional after all testing.



CONSUMPTION & INPUT RANGE

All products are put on a digital power meter to test that it is consuming the correct amount of power, checking for any electrical faults.



LUMENS PER WATT

HALOGEN


Vision X offers a number of different Halogen Lighting options. The Tungsten-Halogen series uses an oversized globe and specially engineered filament to enhance light output. Vision X offers many headlight replacements.

THE VISION X DIFFERENCE

Electronic Thermal Management
Integrated Electronic Thermal Management automatically regulates heat levels by engaging ETM to prolong each LEDs lifespan to 50,000 hours.




MEASURING LIGHT OUTPUT




USABLE LIGHT = DISTANCE

Usable light is defined as the light that is actually converted to use in forward projection lighting. Vision X measures this by accounting for effective, rather than raw lumens in our distance calculations. The measurement of distance at which a light achieves one lux is the level of light needed to read a newspaper; also known as Usable Light

TOTAL LIGHT OUTPUT = LUMENS



Light source placed into lumen sphere to measure the complete output of a source




RAW LUMENS | VS | EFFECTIVE LUMENS

Lumens are a common standard for measuring light output at the source. It is important to know that the lighting source manufacturer rating is only for the light source and does not account for losses due to optical inefficiencies, electrical inefficiencies or heat.

The sheer output of the light source is not enough to capture the whole story. When rating the effective output of a light source, the light lost as heat, in optical light spray and electrical inefficiency must also be accounted for, as each of these reduce the total usable lumens. Through the use of top binned LEDs, Pulse Width Modulation and Electronic Thermal Management, Vision X Lights effectively produce the highest lumens per watt.



CHOOSING THE RIGHT BEAM



90° WIDE FLOOD

Minimal distance with the best full range flood lighting ideal for peripheral and direct in front illumination.

40° MEDIUM FLOOD

Driving beam with a great amount of spread and medium distance.

10° SPOT

Longest distance beam with the smallest spread that is ideal at high speeds.

60° FLOOD

Slow speed / scene lighting beam with limited distance but covers the front and peripherals of your vehicle.

20° SPOT COMBO

Driving beam with a moderate amount of spread and great distance.

OPTIC TECHNOLOGY | vs | IRIS REFLECTOR

Vision X uses advanced optic technology to affect how the light is dispersed to create each beam pattern. Optics allow for each beam pattern to be engineered to project the light as far as the LED will allow it to go. In turn, this allows lights with optics to reach all the way up to 90° wide flood. Generally, with the use of optics there is loss in distance then if it was using an iris reflector, but in exchange gives the light a more full beam. Iris reflector takes full advantage of the LED and is specifically engineered to project the light as far as the LED will allow it to go. In turn, this allows lights with iris reflectors to reach all the way up to 90° wide flood. Generally, with the use of iris reflectors there is loss in distance then if it was using an optic reflector, but in exchange gives the light a more full beam. Optics allow for each beam pattern to be engineered to project the light as far as the LED will allow it to go. In turn, this allows lights with optics to reach all the way up to 90° wide flood. Generally, with the use of optics there is loss in distance then if it was using an iris reflector, but in exchange gives the light a more full beam.





INCLUDED **WITH EACH LIGHT**



LIFETIME LIMITED WARRANTY

1. Proof of purchase is required to validate warranty and is valid from the original date of purchase. All products must be bought through a Vision X Authorized Dealer or one of their dealers/resellers.
2. Improper installation, accident, abuse, neglect and normal wear are not covered under warranty.
3. Lights operated in environments over 150o Fahrenheit are not covered under warranty.
4. Warrantied items will be repaired to working condition and returned without cosmetic alterations.
5. Warranties should be handled through the dealer/reseller the product was purchased from; customer is responsible for delivery to Vision X Returns in Washington.
6. If product is not under warranty, customers will be responsible for shipping return shipping charges.
7. Additionally, non-warranted items can be repaired at the customer's expense of parts and labor, at the discretion of Vision X Lighting, who will provide an estimated repair cost before proceeding with the repair.



THE 2ND
GENERATION
IS HERE





4.7" MULTI | LED

CG2

CG2 LIGHT CANNON - S E R I E S -



THE
2ND
GENERATION
IS HERE

The most powerful & versatile off-road LED lighting system. From 3.7" to 8.7" sizes, each is available in a Long Distance or Multi-LED Full Beam version to shine the light exactly where you need it. The Day-White lighting color allows you to comfortably see the terrain over unmatched distances. The 25-Lights-In-One Cover system allows you to change light pattern and color to fit your driving environments. Lifetime Limited Warranty.




6.7" SINGLE | LED

6.7" MULTI | LED



MULTI LED FOR MAXIMUM LIGHT OUTPUT

Multi-LED CG2 Light Cannons are the ultimate light for blasting through the night with a powerful broad driving beam pattern and outstanding medium distance lighting coverage.




Beam/Color Changing
Polycarbonate Covers (See p.17)



SINGLE LED FOR FOCUSED DISTANCE OUTPUT

Single LED CG2 Light Cannons take lighting to uncharted territory with incomparable distances. The industry-leading Luminous Big Chip LED and Iris Reflector throws a violent blast of light that penetrates the night up to 3,500 feet. If you need superior distance from your lighting, this is the solution.






PERFORMANCE LED LIGHT



ULTRA EFFICIENT MULTI LED
Top binned 7W Cree LED provides the greatest light output from a multi source LED light of its size.

ADVANCED OPTIC TECHNOLOGY
Each led is focused using a 10° optic that allows for the flood pattern to achieve full beam spread.

LUMEN OUTPUT COMPARISON



Different Output, Same Series


LUMENS | VS | DISTANCE



HIGHEST QUALITY SINGLE LED
Industry leading Luminus Big Chip Technology allows the Single Source Cannon reach unheard of distances.

IRIS REFLECTOR TECHNOLOGY
Focusing the power of the single source LED, the advanced IRIS Reflector shoots out a long distance spot beam.

DISTANCE OUTPUT COMPARISON





BACK VIEW |



SIDE VIEW |



FRONT VIEW |









WEATHERPROOF CONNECTOR
The Deutsch plug ensures the functionality of every Light Cannon even in the harshest conditions.

HEAT MANAGEMENT SYSTEM
Advanced circuitry and aluminum heat sink design ensures maximum light output during sustained periods of use.

ADJUSTABLE AIMING SYSTEM
Steel trunnion mount provides 45° of lighting adjustment secured by a robust locking system.

BUILT FOR HARSH CONDITIONS
The IP-68 / 69K certified housing ensures a water tight seal even when completely submerged.

	ITEM#	PART#	LUMENS	DISTANCE	WATTS	AMP DRAW @12V	DIMENSIONS	BEAM
3.7" 	CG2-CPM310	9912141	2,250	****	21W	1.75	3.62"x3.62"x3.82"	10°
	CG2-CPM310KIT	9912158	4,500	****	42W	3.5	3.62"x3.62"x3.82"	10°
4.7" 	CG2-CPM710	9907499	5,250	705'	49W	4.08	5.42"x5.28"x3.69"	10°
	CG2-CPM710KIT	9907437	10,500	705'	98W	8.17	5.42"x5.28"x3.69"	10°
6.7" 	CG2-CPM1810	9907505	13,500	1,105'	126W	10.5	7.30"x7.09"x5.37"	10°
	CG2-CPM1810KIT	9907444	27,000	1,105'	252W	21	7.30"x7.09"x5.37"	10°
8.7" 	CG2-CPM2410	9907512	18,000	1,405'	168W	14	9.36"x9.34x6.30"	10°
	CG2-CPM2410KIT	9907451	36,000	1,405'	336W	28	9.36"x9.34x6.30"	10°

	ITEM#	PART#	LUMENS	DISTANCE	WATTS	AMP DRAW @12V	DIMENSIONS	BEAM
3.7" 	COMING SOON							
4.7" 	CG2-CPZ110	9907574	3,000	1,115'	40W	3.33	5.42"x5.28"x3.69"	10°
	CG2-CPZ110KIT	9907468	6,000	1,115'	80W	6.67	5.42"x5.28"x3.69"	10°
6.7" 	CG2-CPZ610	9907567	4,000	3,000'	70W	5.83	7.30"x7.09"x5.37"	10°
	CG2-CPZ610KIT	9907475	8,000	3,000'	140W	11.67	7.30"x7.09"x5.37"	10°
8.7" 	CG2-CPZ810	9907550	6,200	3,500'	100W	8.33	9.36"x9.34x6.30"	10°
	CG2-CPZ810KIT	9907482	12,400	3,500'	200W	16.67	9.36"x9.34x6.30"	10°

SNAP-ON LIGHT COVERS

25 LIGHTS IN 1 WITH POLYCARBONATE COVERS

Each Light Cannon is 25 Lights In One with the help of the unbreakable polycarbonate snap-on covers that can alter the beam pattern and change the color of the Cannon. Tackle any weather condition with the proper color cover, or quickly change your spot cover to a flood cover for a wider beam when necessary.

COLOR OPTIONS



BLACKOUT | PROTECTIVE

Covers the fixture with a solid black protective cover with a high contrast "X" logo. Required in select states for on-road use.



CLEAR | PROTECTIVE

Protects light from dust, debris and particulates without changing light color or performance.



AMBER | FOG

Battles fog conditions by reducing the amount of blue light. Mimics classic Halogen color temperature. Great for driving in fog at high speeds.



BLUE | SNOW


Increases lighting distance when used in snow conditions by reflecting the blue light off the snow. Recommended for vehicles in heavy winter conditions.



RED | DUST

Reduces light temperature and glare back in order to enhance penetration in dust and air particulate. Ideal for vehicles in extreme dust conditions.

BEAM OPTIONS



SPOT

Spot covers maintain original lighting beam pattern while protecting the lens from harmful debris.



COMBO

Combo covers combine the distance of a spot cover with the added peripheral illumination of a elliptical cover.



EURO

Illuminate some peripherals while maintaining effective distance.



ELLIPTICAL

Reduces peripheral illumination while losing minor distance.



WIDE FLOOD

Maximum wide field of view illumination in exchange for distance.



TRAIL FLOOD

Maximum vertical field of view illumination in exchange for distance.



ITEM #	PART #	SIZE
PCV-OPR1BL	9889580	3.7"
PCV-CP1BL	9157450	4.7"
PCV-6500BL	9160245	6.7"
PCV-8500BL	9890876	8.7"

3.7" MINI CANNON / OPTIMUS



ITEM #	PART #	BEAM
PCV-OPR1	9889528	SPOT
PCV-OPR1EU	9889535	EURO
PCV-OPR1FL	9889542	TRAIL FLOOD
PCV-OPR1WF	9890944	WIDE FLOOD
PCV-OPR1EL	9890913	ELLIPTICAL

CEAR | PROTECTIVE



ITEM #	PART #	BEAM
PCV-OPR1B	9889559	SPOT
PCV-OPR1BEU	9889566	EURO
PCV-OPR1BFL	9889573	TRAIL FLOOD
PCV-OPR1BWF	9890906	WIDE FLOOD
PCV-OPR1BEL	9890890	ELLIPTICAL

BLUE | SNOW



ITEM #	PART #	BEAM
PCV-OPR1Y	9889740	SPOT
PCV-OPR1YEU	9889757	EURO
PCV-OPR1YFL	9889764	TRAIL FLOOD
PCV-OPR1YWF	9890968	WIDE FLOOD
PCV-OPR1YEL	9890951	ELLIPTICAL

AMBER | FOG



ITEM #	PART #	BEAM
PCV-OPR1R	9889719	SPOT
PCV-OPR1REU	9889726	EURO
PCV-OPR1RFL	9889733	TRAIL FLOOD
PCV-OPR1RWF	9890937	WIDE FLOOD
PCV-OPR1REL	9890920	ELLIPTICAL

RED | DUST

4.7" LIGHT CANNON COVERS



CEAR | PROTECTIVE

ITEM #	PART #	BEAM
PCV-CP1	9151151	SPOT
PCV-CP1CB	9896632	COMBO
PCV-CP1EU	9151243	EURO
PCV-CP1FL	9151335	TRAIL FLOOD
PCV-CP1WF	9890562	WIDE FLOOD
PCV-CP1EL	9890661	ELLIPTICAL



BLUE | SNOW

ITEM #	PART #	BEAM
PCV-CP1B	9157184	SPOT
PCV-CP1BCB	9896700	COMBO
PCV-CP1BEU	9157276	EURO
PCV-CP1BFL	9157368	TRAIL FLOOD
PCV-CP1BWF	9890654	WIDE FLOOD
PCV-CP1BEL	9890647	ELLIPTICAL



AMBER | FOG

ITEM #	PART #	BEAM
PCV-CP1Y	9157726	SPOT
PCV-CP1YCB	9896656	COMBO
PCV-CP1YEU	9157818	EURO
PCV-CP1YFL	9157900	TRAIL FLOOD
PCV-CP1YWF	9890586	WIDE FLOOD
PCV-CP1YEL	9890579	ELLIPTICAL



RED | DUST

ITEM #	PART #	BEAM
PCV-CP1R	9162492	SPOT
PCV-CP1RCB	9896649	COMBO
PCV-CP1REU	9157542	EURO
PCV-CP1RFL	9157634	TRAIL FLOOD
PCV-CP1RWF	9890883	WIDE FLOOD
PCV-CP1REL	9890678	ELLIPTICAL

6.7" LIGHT CANNON COVERS



CEAR | PROTECTIVE

ITEM #	PART #	BEAM
PCV-6500	4003248	SPOT
PCV-6500CB	9895703	COMBO
PCV-6500EU	9888453	EURO
PCV-6500FL	9888491	TRAIL FLOOD
PCV-6500WF	9888771	WIDE FLOOD
PCV-6500EL	9890616	ELLIPTICAL



BLUE | SNOW

ITEM #	PART #	BEAM
PCV-6500B	4003569	SPOT
PCV-6500CB	9895710	COMBO
PCV-6500BEU	9888460	EURO
PCV-6500BFL	9888507	TRAIL FLOOD
PCV-6500BWF	9889788	WIDE FLOOD
PCV-6500BEL	9890609	ELLIPTICAL



AMBER | FOG

ITEM #	PART #	BEAM
PCV-6500Y	4002784	SPOT
PCV-6500YCB	9895734	COMBO
PCV-6500YEU	9888484	EURO
PCV-6500YFL	9888521	TRAIL FLOOD
PCV-6500YWF	9889801	WIDE FLOOD
PCV-6500YEL	9890630	ELLIPTICAL



RED | DUST

ITEM #	PART #	BEAM
PCV-6500R	4004689	SPOT
PCV-6500RCB	9895727	COMBO
PCV-6500REU	9888477	EURO
PCV-6500RFL	9888514	TRAIL FLOOD
PCV-6500RWF	9889795	WIDE FLOOD
PCV-6500REL	9890623	ELLIPTICAL

8.7" LIGHT CANNON COVERS




CEAR | PROTECTIVE

ITEM #	PART #	BEAM
PCV-8500	4003255	SPOT
PCV-8500CB	9896663	COMBO
PCV-8500EU	9890128	EURO
PCV-8500FL	9890135	TRAIL FLOOD
PCV-8500WF	9890463	WIDE FLOOD
PCV-8500EL	9890081	ELLIPTICAL



AMBER | FOG

ITEM #	PART #	BEAM
PCV-8500Y	4002791	SPOT
PCV-8500YCB	9896694	COMBO
PCV-8500YEU	9890470	EURO
PCV-8500YFL	9890487	TRAIL FLOOD
PCV-8500YWF	9890142	WIDE FLOOD
PCV-8500YEL	9890159	ELLIPTICAL



BLUE | SNOW

ITEM #	PART #	BEAM
PCV-8500B	4003583	SPOT
PCV-8500BCB	9896670	COMBO
PCV-8500BEU	9890098	EURO
PCV-8500BFL	9890104	TRAIL FLOOD
PCV-8500BWF	9890111	WIDE FLOOD
PCV-8500BEL	9890869	ELLIPTICAL



RED | DUST

ITEM #	PART #	BEAM
PCV-8500R	4003576	SPOT
PCV-8500RCB	9896687	COMBO
PCV-8500REU	9890432	EURO
PCV-8500RFL	9890449	TRAIL FLOOD
PCV-8500RWF	9890456	WIDE FLOOD
PCV-8500REL	9890425	ELLIPTICAL

2018



PROJECT ADV. LIGHT

Bringing Optic
Technology to a whole
new level.



EVOLUTION OF ADVENTURES

Off-road adventures
will never be the same.
Or dark.

LED LIGHT BARS



XPR SERIES

The XPR Series Light Bars utilize Iris Reflector technology that is specifically engineered to project the full light output of each LED to produce an unmatched distance spot beam.

LUMENS | VS | DISTANCE

XMITTER PRIME XTREME SERIES

The Xmitter Prime Xtreme Series Light bars are stacked with high output LEDs that allows each bar to produce a full spread beam that will outshine the competition.







XPR-S

XMITTER PRIME RACE SERIES




RACE SERIES SPOT BEAM FOR ULTIMATE DISTANCE OUTPUT

The XPR-S Series Light Bar uses a high intensity LED that allows the beam to take full advantage of the Iris Reflector and project the light up to 75% further than the XPR series. Designed to outshine and outlast the competition.

SIZES : 6" | 12" | 19" | 24" | 30" | 35" | 40" | 45" | 51" |

SMOOTH BACKLIT HALO OPTION

The XPR-S is available in a halo model that can be used as a daytime running light.



DUAL MOUNTING STANDARD

Mounting options include side wing mounts and our patented mounting feet.



END CAP MOUNTING OPTION

Vision X offers end caps that attach for side bolt mounting. (See p.73)

HIGH INTENSITY CREE LED

The 10W XP-L-HI LED from Cree is what allows the XPR-S to project light up to 3,700 ft.

APPLICATION | COMMON SIZES



BLACKOUT COVER AVAILABLE
(See p.75)

Front Bumpers | 12"
2,133ft.



Hood, Front Bumper | 19"
2,362ft.



Stock RZR Cage | 30"
2,789ft.



Aftermarket RZR Cage,
Can-Am Cage, Mid Size Truck Roof | 40"
3,281ft.



Full Size Roof | 51"
3,773ft.



STANDARD MODEL



HALO MODEL



LENGTH	WATTS	AMP DRAW @12V	DISTANCE	ITEM#	PART#	ITEM#	PART#
6.05"	30	2.5	1,557ft.	XPR-3S	9897462	XPR-H3S	9898544
11.46"	60	5	2,133ft.	XPR-6S	9897479	XPR-H6S	9898537
18.80"	90	7.5	2,362ft.	XPR-9S	9897455	XPR-H9S	9893235
24.06"	120	10	2,461ft.	XPR-12S	9897394	XPR-H12S	9897165
29.37"	150	12.5	2,789ft.	XPR-15S	9897400	XPR-H15S	9893228
34.69"	180	15	3,117ft.	XPR-18S	9897417	XPR-H18S	9893242
40.00"	210	17.5	3,281ft.	XPR-21S	9897424	XPR-H21S	9898872
45.30"	240	20	3,590ft.	XPR-24S	9897431	XPR-H24S	9898889
50.63"	270	22.5	3,773ft.	XPR-27S	9897448	XPR-H27S	9898896



2018



THE SHOCKER BAR

Half Iris Reflector,
half Acrylic Optic
Technology, one new
way to light up the
night .

A white pickup truck is positioned on the right side of the frame, its headlights illuminating the dark, rocky ground. The background features silhouettes of mountains under a dark night sky. The overall scene is dark and atmospheric, emphasizing the truck's lighting capabilities.

THE PERFECT COMBO

Combining the
distance of a spot
beam with the full
spread of a flood beam
into a single bar.



XPR
XMITTER PRIME IRIS 10 WATT




MIXED BEAM FOR PERIPHERAL AND DISTANCE ILLUMINATION

The XPR LED Light bar series provides a powerful distance with Mixed Beam tilted reflectors to illuminate your peripherals. The 10 Watt LEDs through the large IRIS Reflectors make this bar one of the furthest shining Mixed Beam bars out there. The XPR is also available in a back lit Halo Model.

SIZES : 6" | 12" | 19" | 24" | 30" | 35" | 40" | 45" | 51" |

TILTED REFLECTORS
The XPR Features Tilted Reflectors on the ends that angle the beam outward to illuminate off to the sides of your vehicle.



HIGH DENSITY CREE LED
The 10W XP-L-HD LED from Cree is what allows the XPR to project light up to 2,200 ft.

DUAL MOUNTING STANDARD
Mounting options include side wing mounts and our patented mounting feet.



END CAP MOUNTING OPTION
Vision X offers end caps that attach for side bolt mounting. (See p.73)



APPLICATION | COMMON SIZES

VISION X LIGHTING

BLACKOUT COVER AVAILABLE
(See p.75)

Front Bumpers | 12"
1,262ft.



Hood, Front Bumper | 19"
1,365ft.



Stock RZR Cage | 30"
1,625ft.



Aftermarket RZR Cage,
Can-Am Cage, Mid Size Truck Roof | 40"
1,853ft.



Full Size Roof | 51"
2,214ft.



STANDARD MODEL



HALO MODEL



LENGTH	WATTS	AMP DRAW @12V	DISTANCE
6.05"	30	2.5	1,040ft.
11.46"	60	5	1,262ft.
18.80"	90	7.5	1,365ft.
24.06"	120	10	1,430ft.
29.37"	150	12.5	1,625ft.
34.69"	180	15	1,755ft.
40.00"	210	17.5	1,853ft.
45.30"	240	20	1,950ft.
50.63"	270	22.5	2,214ft.

ITEM#	PART#
— XPR-3	9891606
— XPR-6	9891613
— XPR-9M	9891620
— XPR-12M	9891637
— XPR-15M	9891644
— XPR-18M	9891651
— XPR-21M	9891668
— XPR-24M	9891675
— XPR-27M	9891682

ITEM#	PART#
— XPR-H9M	9911816
— XPR-H12M	9911786
— XPR-H15M	9911595
— XPR-H18M	9912271
— XPR-H21M	9911700
— XPR-H24M	9911793
— XPR-H27M	9912134

2018



THE NEW LO PRO BAR

Bringing our light bar series to new heights with a new low profile housing and upgraded mounting system.



SLIM FOR THE WIN

Combining the
ultimate distance
projection of an XPR
and the compact size
of an Xmitter Lo Pro.



XMITTER PRIME | XTREME




DUAL ROW LEDS FOR XTREME OUTPUT

Since the Xmitter Prime Xtreme was first launched, it has held the title of "Most Raw Lumens Per Inch". Pumping out nearly 1,000 raw lumens per inch, the Xmitter Prime Xtreme is unmatched in terms of effective power and performance.

* Also Available in AMBER LED
(Reference VISIONXLIGHTING.com for Part #s)

SIZES : 5" | 8" | 11" | 18" | 20" | 30" | 40" | 50" |



DIMMING CAPABILITIES

Every Xmitter Prime Xtreme bar comes standard with a dimmer wire that allows you to control the intensity of the light.

HIGH OUTPUT CREE LED

The 5W XP-G2 LED from Cree allows the Xmitter Prime Xtreme to output up to 47,000 Lumens (50in).



END CAP MOUNTING OPTION

Vision X offers bolts that attach for side bolt mounting. (See p.73)



WATERPROOF HOUSING

The IP-68 rated housing ensures a water tight seal even under the toughest conditions.



APPLICATION | COMMON SIZES



COVERS AVAILABLE
(See p.75)

Front Bumpers | 11"
6,336 Lumens



Hood, Front Bumper | 20"
19,008 Lumens



Stock RZR Cage | 30"
28,512 Lumens



Aftermarket RZR Cage,
Can-Am Cage, Mid Size Truck Roof | 40"
38,016 Lumens



Full Size Roof | 50"
47,520 Lumens



LENGTH	WATTS	AMP DRAW (@12V)	LUMENS	10° SPOT MODEL		40° FLOOD MODEL		MIXED BEAM 10°/40° MODEL	
				ITEM#	PART#	ITEM#	PART#	ITEM#	PART#
4.70"	30	2.5	3,168	XIL-PX610	9117409	XIL-PX640	9117492	XIL-PX6M	9894850
7.90"	60	5	6,336	XIL-PX1210	9115603	XIL-PX1240	9115696	XIL-PX12M	9894751
11.10"	90	7.5	9,504	XIL-PX1810	9115788	XIL-PX1840	9115870	XIL-PX18M	9887890
17.50"	150	12.5	15,840	XIL-PX3010	9116860	XIL-PX3040	9116952	XIL-PX30M	9123431
20.60"	180	15	19,008	XIL-PX3610	9117041	XIL-PX3640	9117133	XIL-PX36M	9894836
30.20"	270	22.5	28,512	XIL-PX5410	9117225	XIL-PX5440	9117317	XIL-PX54M	9153223
39.80"	360	30	38,016	XIL-PX7210	9117584	XIL-PX7240	9117676	XIL-PX72M	9153490
49.37"	450	37.5	47,520	XIL-PX9010	9887036	XIL-PX9040	9887043	XIL-PX90M	9132792

XMITTER LO PRO | XTREME




LOW PROFILE MEETS XTREME OUTPUT

The Low Profile Prime XP is compact with a height of only 2.06" for a slim fit with outstanding 5watt LED light output. Available in Multiple Beam configurations. The Low Profile Prime XP Series also makes use of Prime Drive Technology which manages heat levels to prolong the life of the LEDs.

* Also Available in AMBER LED
(Reference VISIONXLIGHTING.com for Part #s)

SIZES : 5" | 8" | 12" | 20" | 24" | 31" | 35" | 42" | 50"



DIMMING CAPABILITIES

Every Xmitter Lo Pro Prime Xtreme bar comes standard with a dimmer wire that allows you control the intensity of the light.

HIGH OUTPUT CREE LED

The 5W XP-G2 LED from Cree allows the Xmitter Lo Pro Prime Xtreme to output up to 20,600 Lumens (50in).



END CAP MOUNTING OPTION

Vision X offers bolts that attach for side bolt mounting. (See p.73)



LOW PROFILE WATERPROOF HOUSING

The IP-68 rated housing ensures a water tight seal even under the toughest conditions.



APPLICATION | COMMON SIZES



COVERS AVAILABLE
(See p.75)

Front Bumpers| 12"
4,752 Lumens



Hood, Front Bumper| 20"
7,920 Lumens



Stock RZR Cage| 31"
12,672 Lumens



Aftermarket RZR Cage,
Can-Am Cage, Mid Size Truck Roof| 42"
17,424 Lumens



Full Size Roof| 50"
20,592 Lumens



				10° SPOT MODEL		40° FLOOD MODEL		MIXED BEAM 10°/40° MODEL	
LENGTH	WATTS	AMP DRAW @12V	LUMENS	ITEM#	PART#	ITEM#	PART#	ITEM#	PART#
4.65"	15	1.25	1,584	XIL-LPX310	4000759	XIL-LPX340	4000766		
8.43"	30	2.5	3,168	XIL-LPX610	9118758	XIL-LPX640	9120737	XIL-LPX6M	9153407
12.21"	45	3.75	4,752	XIL-LPX910	4000773	XIL-LPX940	4000780		
19.77"	75	6.25	7,920	XIL-LPX1510	9114613	XIL-LPX1540	9114705	XIL-LPX15M	9897042
23.55"	90	7.5	9,504	XIL-LPX1810	9114798	XIL-LPX1840	9114880	XIL-LPX18M	9137025
31.11"	120	10	12,672	XIL-LPX2410	9121901	XIL-LPX2440	9132884	XIL-LPX24M	9889351
34.89"	135	11.25	14,256	XIL-LPX2710	9114972	XIL-LPX2740	9115061		
42.44"	165	13.75	17,424	XIL-LPX3310	9115153	XIL-LPX3340	9115245		
50.00"	195	16.25	20,592	XIL-LPX3910	9128115	XIL-LPX3940	9132976	XIL-LPX39M	9892252



MODEL | 28" | 69W | 5,688 Lumens



MODEL | 35" | 87W | 7,056 Lumens



CHASER BAR FOR XTREME ENTHUSIAST

The Vision X Chaser Bar provides high output color LEDs in a sleek, low profile housing with a bright flood beam pattern. This rear mounted light bar can be configured as your running and brake lights using standard Red, Amber and White LED's.

The Chaser Bar comes in two sizes to accommodate stock (28") and after-market(35") roll cages and is available with or without the adjustable Flasher Module.

Static / Flashing




Back-up / Utility Light


Brake / Tail Light

HIGH OUTPUT COLOR LED
Combination of 5W (White) and 3W (Color) LEDs allows the Chaser Bar to outshine the competition.

LOW PROFILE WATERPROOF HOUSING
The IP-68 rated housing ensures a water tight seal even under the toughest conditions.



FLASHER MODULE




CHASER MODEL

ITEM#	PART#	LENGTH	AMP DRAW @12V
XIL-CBSR21	9897196	27.33"	5.75
XIL-CBSR27	9897202	34.89"	7.25
XIL-CBSR21NF	9908762	27.33"	5.75
XIL-CBSR27NF	9908779	34.89"	7.25

ITEM#	PART#	WORKS WITH
Z J-2FW202	9903552	Chaser Bar

*Flasher Not Included




MODEL | 36" | 14W

DUNE CHASER FOR SPORT

If you're someone that likes the extra thrill of riding the dunes at night this Chaser is for you. Our Dune Chaser Rear LED light bar provides the safety of a traditional chaser bar with less power consumption and a lower price.

*Available with or without Flashing Module


Brake / Tail Light



Static / Flashing



Back-up / Utility Light



DUNE CHASER MODEL

ITEM#	PART#	LENGTH	AMP DRAW @12V
XIL-CDS36	2936101	36"	1.17
XIL-CDS36NF	2936100	36"	1.17

*Flasher Not Included

FLASHER MODULE


ITEM#	PART#	WORKS WITH
P-FLASHER.7A	9911380	Dune Chaser

2018



THE SPEED SENSE BAR

The faster you go the further you need to see right ? We agree and have the bar you need.



BEAM FOR EVERY SPEED

Bringing the power
of the Borg Bluetooth
Control to a self-
adjusting light bar.







NEXT LEVEL

STYLE | OUTPUT | RELIABILITY



LED HEADLIGHTS

Take your desire for high powered LEDs to the streets with the DOT Approved VX Series LED Headlight. The VX Series boasts a daytime running halo, low and high beam modes, and a robust aluminum polycarbonate hybrid housing. E-Mark and ADR approved models also available.



LED HEADLIGHTS MEETS STYLE & PERFORMANCE

The DOT Approved VX Series LED Headlight leads the LED Headlight industry in both style and performance. With an integrated LED Halo Ring, the VX Headlight is sure to turn heads while also delivering a dramatically improved night driving experience over factory headlights. The VX Series is currently available in 7" & 5.75" Round as well as 4x6" Rectangle with a Polished Chrome finish or a Black Chrome finish.

ADR and E-MARK Approved models are available for those who live in Australia and Europe.

Multiple direct plug-and-play accessories are available that help give you the most out of your VX Series LED Headlight. (See p.74)



DIFFERENT SIZES | SAME LED TECHNOLOGY

7.0"

42W | 3.5A | 4,210 Lumens(ea)



5.75"

42W | 3.5A | 4,210 Lumens(ea)



4x6"

42W | 3.5A | 4,210 Lumens(ea)






BRIGHT DAYTIME RUNNING HALO
Every VX Series Model Headlight features an ultra smooth LED Halo Ring that can be ran independently.

* Also Available in AMBER HALO
(Reference VISIONXLIGHTING.com for Part #s)

WIDE SPREAD LOW BEAM
One main 12W LED produces the wide spread low beam with the help of 5W LEDs on the sides to fill in the roadway directly in front of your vehicles

HIGH OUTPUT HIGH BEAM
Two 10W LEDs located under the low beam utilize Iris Reflectors to produce a long range high beam.

WATERTIGHT HOUSING
The IP-68 watertight housing comes equipped with a ultra rugged Polycarbonate Lens and one-way Gortex Valve to block moisture build up.



7.0" | MODEL



5.75" | MODEL



4x6" | MODEL

ITEM#	PART#	FINISH
XIL-7RD	9891217	CHROME
XIL-7RDKIT	9891224	CHROME
XIL-7RDB	9892436	BLK. CHROME
XIL-7RDBKIT	9892443	BLK. CHROME

* KITS INCLUDE 2 LIGHTS + HARNESS

ITEM#	PART#	FINISH
XIL-575RD	9895604	CHROME
XIL-575RDKIT	9895611	CHROME
XIL-575RDB	9895635	BLK. CHROME
XIL-575RDBKIT	9895642	BLK. CHROME

* KITS INCLUDE 2 LIGHTS + HARNESS

ITEM#	PART#	FINISH
XIL-46D	9897806	CHROME
XIL-46DKIT	9897820	CHROME
XIL-46DB	9897813	BLK. CHROME
XIL-46DBKIT	9897837	BLK. CHROME

* KITS INCLUDE 2 LIGHTS + HARNESS



LED | HEADLIGHTS & ROAD GLIDE KIT

7.0"

42W | 3.5A | 4,210 Lumens(ea)



7.0" | MODEL

ITEM#	PART#	FINISH
XMC-7RD	9892061	CHROME
XMC-7RDB	9895291	BLK. CHROME
XMC-7RDA	9910642	CHROME
XMC-7RDBA	9910635	BLK. CHROME

Amber Halo Model

5.75"

42W | 3.5A | 4,210 Lumens(ea)



5.75" | MODEL

ITEM#	PART#	FINISH
XMC-575RD	9895628	CHROME
XMC-575RDB	9895659	BLK. CHROME
XMC-575RDA	9910628	CHROME
XMC-575RDBA	9910611	BLK. CHROME

Amber Halo Model

5.75" ROAD GLIDE

84W | 7.0A | 8,420 Lumens(Kit)




5.75"ROAD GLIDE| MODEL

ITEM#	PART#	FINISH
XMC-575ODKIT	9895673	CHROME
XMC-575ODBKIT	9895697	BLK. CHROME
XMC-575ODBKITA	9917658	BLK. CHROME

* KITS INCLUDE 2 LIGHTS + HARNESS

Amber Halo Model

XMC | ACCESSORIES



BAGGER | LIGHTING



- FEATURES:
- 2 Pod Kit with 40" Power Cord
 - Flush switch included
 - 280 Lumens per kit
 - IP-68 Water & Dust Proof

ITEM#	PART#
XMC-BKW2	9895246



LED TECHNOLOGY MEETS PASSING LAMP

Vision X Lighting's XMC 4.5" LED HALO Passing Lamp Kit grants extra visibility and enhances your safety on the road. These powerful 10W lights each pack five times more output than the stock passing lamps, and draw six times less amperage. Dramatically improve your performance while increasing visibility and safety. The MSR Style Reflectors give the XMC Passing Lights a powerful beam pattern than combines distance with full spread coverage.



ITEM#	PART#	FINISH	AMP DRAW @12V
XMC-45RDHKIT	9904085	CHROME	0.83
XMC-45RDHBKIT	9904078	BLK. CHROME	0.83

* KITS INCLUDE 2 LIGHTS + HARNESS

XMC | ACCESSORIES

BILLET CLAMPS | 0.75"-3.0"



ITEM#	PART#	SIZE	ITEM#	PART#	SIZE
XIL-C075	9897325	0.75"	XIL-C200	9893372	2.0"
XIL-C100	9897301	1.0"	XIL-C225	9893389	2.25"
XIL-C125	9897288	1.25"	XIL-C250	9893396	2.50"
XIL-C150	9897264	1.50"	XIL-C300	9893402	3.50"
XIL-C175	9897240	1.75"	*Includes 2 Clamps		

WIRING | ADAPTERS



ITEM#	PART#	FUNCTION
P-HLH14	9895475	HI+LO Headlight
XMC-H42DELPHI	9892894	Delphi Adapter
XMC-H42H9H11	9892900	H9 & H11 Adapter



BIG CHIP TECHNOLOGY FOR INTENSE DISTANCE OUTPUT

The Vision X Original Light Cannon uses a single source Luminus LED and advanced Iris Reflector Technology to place it at the top of its class in the single source LED lighting division. The Light Cannon utilizes a focused beam pattern to provide up to 3,200 feet of usable light (8.7"), and is housed in a robust black aluminum polycarbonate hybrid housing for long lasting durability, even in the most extreme conditions.



Beam/Color Changing
Polycarbonate Covers (See p.17)

4.5" | 25W | 2,500 Lumens



6.7" | 50W | 3,200 Lumens



8.7" | 90W | 5,800 Lumens





WATERPROOF HOUSING

The lightweight hybrid housing is IP-68 Rated, which provides a watertight seal.

LUMINUS BIG CHIP LED

Each Light Cannon uses an industry leading single source LED that is highly efficient and brighter than the competition.

IRIS REFLECTOR TECHNOLOGY




Focusing the power of the LED the Iris Reflector projects the spot beam tremendous distances.

SINGLE BOLT MOUNTING

Versatile Single Bolt Mounting allows the Light Cannon to be installed with ease on anything from A-Pillars to Roof Racks.



* KITS INCLUDE 2 LIGHTS + HARNESS

	ITEM#	PART#	LUMENS	DISTANCE	AMP DRAW	DIMENSIONS	BEAM
4.5" 	CTL-CPZ110	9150970	2,500	1000'	2.08A	5.42"x5.28"x3.69"	10°
	CTL-CPZ110KIT	9151069	5,000	1000	4.17A	5.42"x5.28"x3.69"	10°
6.7" 	CTL-CPZ610	9888538	3,200	2,500'	4.17A	7.30"x7.09"x5.37"	10°
	CTL-CPZ610KIT	9888545	6,400	2,500'	8.33A	7.30"x7.09"x5.37"	10°
8.7" 	CTL-CPZ810	9890852	5,800	3,280'	7.5A	9.36"x9.34"x6.30"	10°
	CTL-CPZ810KIT	9890074	11,600	3,280'	15A	9.36"x9.34"x6.30"	10°



Beam/Color Changing
Polycarbonate Covers (See p.17)

COMPACT HOUSING MEETS DISTANCE OUTPUT

By combining Single-Source LEDs with Vision X's Iris Reflector Technology, the Optimus Series is capable of reaching a staggering 883' of usable light.

The Optimus is available in four different beam patterns, allowing users to choose between distance or spread.

Vehicle Specific Kits Available for :

- Fog Light Kits for Trucks and Jeeps (See p.61-63)
- Headlight Kits for RZR (See p.56)



HALO OPTION

White and All NEW Amber Halo options available.

*Round and Square Only

DIFFERENT HOUSING | MORE VERSATILITY

ROUND 3.7"

10W | 0.83A | 1,052 Lumens



SQUARE 3.0"

10W | 0.83A | 1,052 Lumens




DUAL 5.8"

20W | 1.67A | 2,104 Lumens







ROUND & SQUARE HALO MODEL




ROUND MODEL



SQUARE MODEL



DUAL MODEL



	ITEM#	PART#	BEAM	HALO
ROUND	XIL-OPRH115	9891712	15°	WHITE
	XIL-OPRH115KIT	9891729	15°	WHITE
	XIL-OPRHA115	9907185	15°	AMBER
	XIL-OPRHA115KIT	9917610	15°	AMBER
SQUARE	XIL-OPH115	9891699	15°	WHITE
	XIL-OPH115KIT	9891705	15°	WHITE
	XIL-OPHA115	9907178	15°	AMBER
	XIL-OPHA115KIT	9917627	15°	AMBER

* KITS INCLUDE 2 LIGHTS + HARNESS

ITEM#	PART#	BEAM
XIL-OPR110	9140896	10°
XIL-OPR110KIT	9141251	10°
XIL-OPR120	9141077	20°
XIL-OPR120KIT	9141343	20°
XIL-OPR160	9141169	60°
XIL-OPR160KIT	9141435	60°

* KITS INCLUDE 2 LIGHTS + HARNESS

ITEM#	PART#	BEAM
XIL-OP110	9123882	10°
XIL-OP110KIT	9124421	10°
XIL-OP120	9130002	20°
XIL-OP120KIT	9138015	20°
XIL-OP160	9124063	60°
XIL-OP160KIT	9137926	60°

* KITS INCLUDE 2 LIGHTS + HARNESS

ITEM#	PART#	BEAM
XIL-OP210	9123882	10°
XIL-OP210KIT	9125053	10°
XIL-OP220	9124605	20°
XIL-OP220KIT	9137834	20°
XIL-OP260	9136660	60°
XIL-OP260KIT	9137742	60°

SOLO POD LED LIGHT SERIES



ULTRA COMPACT FOR UNIVERSAL APPLICATIONS

Compact yet powerful, the Solo Pod Series from Vision X provides intense light output from a small housing.

The Solstice Solo excels at multiple applications thanks to the wide selection of different beam patterns. Perfect for dirt bikes, reverse lights, marine lights, or rock lights - the applications are endless.

FLUSH MOUNTING OPTIONS
*See p.73



DIFFERENT HOUSING | MORE APPLICATIONS

2.2" PRIME
10W | 0.83A | 1,052 Lumens



2.0" SOLSTICE
10W | 0.83A | 1,052 Lumens



1.7" MINI
5W | 0.42 | 528 Lumens




LED COLOR | OPTIONS

- AMBER
- RED
- BLUE
- GREEN

*Refer to website for Part#'s




PRIME MODEL




ITEM#	PART#	LUMENS	DISTANCE	BEAM
XIL-SP110	4008830	1,052	279'	10°
XIL-SP120	4009882	1,052	213'	20°
XIL-SP140	4009899	1,052	164'	40°

SOLSTICE MODEL




ITEM#	PART#	LUMENS	DISTANCE	BEAM
XIL-S1110	9888156	1,052	246'	10°
XIL-S1130	9888163	1,052	190'	30°
XIL-S11E3065	9888187	1,052	186'	30°/65°
XIL-S1160	9888170	1,052	180'	60°

MINI MODEL



ITEM#	PART#	LUMENS	DISTANCE	BEAM
XIL-MX110	9113531	528	272'	10°
XIL-MX140	9113715	528	165'	40°
XIL-MX160	9113807	528	82'	60°



DURALUX



VERSATILITY MEETS LIGHT OUTPUT

The Duralux Series was designed with vehicles in mind. The sleek and compact housing coupled with either 4 or 6 high output LEDs makes it the perfect light for any automotive application. From fog lights to roof rack and reverse lighting the Duralux Series combines versatility with afford-ability to create the ultimate lighting solution for any vehicle.

FLUSH MOUNTING OPTIONS
*See p.73



DIFFERENT SIZES | MORE APPLICATIONS

2.75" DURA MINI

12W | 1A | 2,000 Lumens
20W | 1.67A | 2,115 Lumens



4.0" DURA 4



20W | 1.67A | 2,112 Lumens



5.5" DURA 6

30W | 2.5A | 3,696 Lumens







DURA MINI MODEL

ITEM#	PART#	BEAM	LUMENS
DURA-M460	9895499	60°	2,000
DURA-M4M	9911649	10°,25°	2,115
DURA-M4MKIT	9911656	10°,25°	4,230

*20W MODEL

* KITS INCLUDE 2 LIGHTS + HARNESS





DURA 4 MODEL

ITEM#	PART#	BEAM	LUMENS
DURA-410	9891132	10°	2,112
DURA-410KIT	9891187	10°	4,224
DURA-440	9141619	40°	2,112
DURA-440A	9889917	40°	2,112
DURA-460	9141527	60°	2,112

* KITS INCLUDE 2 LIGHTS + HARNESS

*AMBER LED



DURA 6 MODEL

ITEM#	PART#	BEAM	LUMENS
DURA-610	9891125	10°	3,696
DURA-610KIT	9891309	10°	7,392
DURA-640	9888378	40°	3,696
DURA-660	9888385	60°	3,696

* KITS INCLUDE 2 LIGHTS + HARNESS

VL-SERIES

LIGHT DUTY COMMERCIAL

VERSATILITY MEETS LIGHT OUTPUT

The VL-Series LED Light Duty offers outstanding light output in a functional design which can be easily adjusted with the single bolt bracket. High quality construction and components enable VL-Series LED Light Duty to withstand vibration up to 15.6 Grms. Built-in reverse polarity protection helps prevent accidental damage caused by incorrect installation. VL-Series LED Light Duty work lighting is a high value, versatile range designed for many light duty commercial applications.

3 DIFFERENT HOUSING OPTIONS 2 LED AND WATTAGE OPTIONS 6 VERSATILE LED LIGHTS

VL-SERIES LED LIGHTS FEATURES:

ULTRA BRIGHT CREE LEDS
Utilizing 5W Cree LEDs, the VL-Series Lights pump out 106 Lumens per watt.

FLOOD OPTICS
Each LED has a 40° flood optic that allows for each light to produce a wide spread beam.

UNIVERSAL MOUNTING
The single bolt mounting system allows for simple and easy placement.




5.6" OVAL HOUSING

6LED 30W 8LED 40W

ITEM#	PART#	LUMENS	WATTS	AMP DRAW@12V	DIMENSIONS	BEAM
VWO050640	9911328	3,168	30	2.5	5.59"x4.39"x2.21"	40°
VWO050840	9911335	4,224	40	3.33	5.59"x4.39"x2.21"	40°
VLO050640	9911267	3,168	30	2.5	5.59"x4.39"x2.21"	40°
VLO050840	9911274	4,224	40	3.33	5.59"x4.39"x2.21"	40°

*No Connector




4.3" ROUND HOUSING

6LED 30W 9LED 45W

ITEM#	PART#	LUMENS	WATTS	AMP DRAW@12V	DIMENSIONS	BEAM
VWR050640	9911342	3,168	30	2.5	4.33"x5.16"x2.33"	40°
VWR050940	9911359	4,752	45	3.75	4.33"x5.16"x2.33"	40°
VLR050640	9911281	3,168	30	2.5	4.33"x5.16"x2.33"	40°
VLR050940	9911298	4,752	45	3.75	4.33"x5.16"x2.33"	40°

*No Connector




4.3" SQUARE HOUSING

6LED 30W 9LED 45W

ITEM#	PART#	LUMENS	WATTS	AMP DRAW@12V	DIMENSIONS	BEAM
VWS050640	9911366	3,168	30	2.5	4.33"x5.16"x2.33"	40°
VWS050940	9911373	4,752	45	3.75	4.33"x5.16"x2.33"	40°
VLS050640	9911304	3,168	30	2.5	4.33"x5.16"x2.33"	40°
VLS050940	9911311	4,752	45	3.75	4.33"x5.16"x2.33"	40°

*No Connector





UTILITY MARKET | XTREME



XTREME UTILITY FOR FOG LIGHT UPGRADES AND SCENE LIGHTING



Serving as an OE Fog light upgrade or scene light, the Utility Market Xtreme Series delivers increased output and a smoother beam pattern over comparable halogen fixtures. The UMX is offered in two different housing options and three different beam pattern configurations.

4.5" ROUND
35W | 2.92A | 3,969 Lumens





4.7" SQUARE
35W | 2.92A | 3,969 Lumens





ROUND MODEL

ITEM#	PART#	BEAM
XIL-UMX4010	4004719	10°
XIL-UMX4040	9118215	40°
XIL-UMX4060	9118307	60°



SQUARE MODEL

ITEM#	PART#	BEAM
XIL-UMX4410	4004726	10°
XIL-UMX4440	9118390	40°
XIL-UMX4460	9118482	60°

VXSPEC
UPGRADE
VEHICLE SPECIFIC LIGHTING

RZR | KITS

TWIN HEADLIGHT | KITS

Features four Optimus LED lights (10 WATT EA.) and a simple Plug-N-Play harness. These 100% Bolt-On vehicle specific brackets are built to use the factory switches and only 0.83A Draw Each light while putting out a brilliant 4,208 Total Raw Lumens of light per kit .



Take your RZR to the next level with 3.7" GEN2 Mini Cannon headlight upgrade that fires up to 9,000 Lumens per kit.
*COMING SOON

FOR ALL 08'+ RZR 900 | MODELS




ITEM#	PART#	LIGHTS	HOUSING COLOR
XIL-OEHL08RZR900	9145754	Brackets Only + Connectors	
XIL-OEHL08RZR900OP	9891811	4x Optimus Round 10°	Black
XIL-OEHL08RZR900OPC	9154756	4x Optimus Round 10°	Chrome
XIL-OEHL08RZR900OPW	9891828	4x Optimus Round 10°	White
XIL-OEHL08RZR900OPH	9891088	4x Optimus Round Halo 15°	Black

FOR ALL 14'+ RZR 1000 | MODELS



ITEM#	PART#	LIGHTS	HOUSING COLOR
XIL-OEHL14RZR	9897509	Brackets Only + Connectors	
XIL-OEHL14ZRROPR	9897516	4x Optimus Round 10°	Black
XIL-OEHL14ZRROPRC	9898490	4x Optimus Round 10°	Chrome
XIL-OEHL14ZRROPRW	9898513	4x Optimus Round 10°	White
XIL-OEHL14ZRROPRH	9898520	4x Optimus Round Halo 15°	Black





A-PILLAR | KITS

Improve your night visibility for high speed or tight corners in your Polaris RZR with these bolt-on A-pillar brackets and LED lighting kits. These durable powder coated steel brackets are built for a beating on the trail while 3.7" Optimus LED Lights shine up to 883' of usable light, and tunable through our snap-on beam covers. Need a Euro or Flood beam for cornering? Just add the right cover in seconds! Need more style or a Daytime Running Light (DRL) then Optimus LED Halo is your choice!

FOR ALL 08'+ RZR | MODELS



ITEM#	PART#	LIGHTS
XIL-OEAS08RZR	6042083	Brackets Only + Connectors
XIL-OEAS08RZRPR	6042084	2x Optimus Round 10°
XIL-OEAS08RZRPRH	6042086	2x Optimus Round Halo 15°

D-PILLAR | KITS

Finally, a bright & easy back-up lighting solution for Polaris RZR XP. The bolt-on D-Pillar brackets and LED Lighting Kits provide enormous flood lighting to keep track of what's behind. These durable powder coated steel brackets are built for a beating on the trail while the Dura4 or Dura Mini Lights make the perfect flood light options. Need an Amber chase light? Just choose the Dura4 Amber light!



FOR ALL 08'+ RZR | MODELS



ITEM#	PART#	LIGHTS	SIDE
XIL-OED08RZRL	6052080	Brackets Only	Driver
XIL-OED08RZRLDURAM	6052081	Dura Mini 60°	Driver
XIL-OED08RZRLDURA460	6052082	Dura 4 60°	Driver
XIL-OED08RZRLDURA440A	6052084	Dura 4 Amber 40°	Driver
XIL-OED08RZRR	6052085	Brackets Only	Passenger
XIL-OED08RZRDRAM	6052086	Dura Mini 60°	Passenger
XIL-OED08RZRDRDURA460	6052087	Dura 4 60°	Passenger
XIL-OED08RZRDRDURA440A	6052089	Dura 4 Amber 40°	Passenger



ROOF LIGHT BAR | KIT

Shine up to 3,700' down the trail utilizing these bolt-on LED Light bar brackets with the Vision X 30" XPR Series light bars. Designed for Stock Cage RZR XP, these durable powder coated steel brackets will hold your lights steady while slashing through the trail or dunes.

Designed to fit any of our 30" XPR, XPR-Halo, XPR-S, and XPR-S Halo series light bars.

FOR ALL 14'+ RZR | MODELS



ITEM#	PART#	LIGHTS
XIL-OESC14RZR	6032140	Brackets Only

VX GRILLE | SERIES

BY ROYALTY CORE

GRILLE | FEATURES



FACTORY LOCATION MOUNTING
OEM replacement grille mounts to factory locations.

DURABLE CONSTRUCTION
Satin black powder coating over stainless steel grille.

STAINLESS STUDS
Triple chrome plated t304 stainless studs with black studs available.



Beam/Color Changing
Polycarbonate Covers (See p.17)

LIGHT CANNON | OPTION

FEATURING CG2 4.7" LIGHT CANNONS

The CG2 Light Cannons is Vision X's latest and greatest of the Light Cannon series. This configuration combines the distance of the big chip single source CG2 Cannon with the massive light output of the multi-LED version. The pairing of these two lights creates an unheard of amount of brightness and distance ideal for any situation.



LIGHT BAR | OPTION

FEATURING XPR-9M LIGHT BAR

Utilizing top-binned 10-Watt LEDs and large proprietary 1.5" diameter IRIS Reflectors, the XPR-9M Light Bar is capable of reaching a staggering 1,365 feet of usable light. This unmatched long-distance projection is also accompanied by precisely tilted IRIS Reflectors that create a unique combination beam pattern to provide even more visibility at the road's edge.



COVER OPTION
Blackout Cover (See p.75)



LIGHT CANNON | OPTION



LIGHT BAR | OPTION



CHEVY TRUCK MODELS	ITEM#	PART#	ITEM#	PART#
15'+ Chevy Silverado 2500/3500	XIL-OEGC15CHD	5162153	XIL-OEGB15CHD	5162150
11'-14 Chevy Silverado 2500/3500	XIL-OEGC14CHD	5162113	XIL-OEGB14CHD	5162110
16'+ Chevy Silverado 1500	XIL-OEGC16CS	5161163	XIL-OEGB16CS	5161160
14'-15 Chevy Silverado 1500	XIL-OEGC14CS	5161143	XIL-OEGB14CS	5161140
14'-15 Chevy Silverado 1500 Z71	XIL-OEGC14CS	5169143	XIL-OEGB14CS	5169140
DODGE TRUCKS MODELS	ITEM#	PART#	ITEM#	PART#
13'-17 Dodge Ram 2500/3500	XIL-OEGC13DHD	5662133	XIL-OEGB13DHD	5662130
13'+ Dodge Ram 1500	XIL-OEGC13DR	5661133	XIL-OEGB13DR	5661130
GMC TRUCKS MODELS	ITEM#	PART#	ITEM#	PART#
15'+ GMC Sierra 2500/3500	XIL-OEGC15GHD	5262153	XIL-OEGB15GHD	5262150
11'-14 GMC Sierra 2500/3500	XIL-OEGC11GHD	5262113	XIL-OEGB11GHD	5262110
16'+ GMC Sierra 1500	XIL-OEGC16GS	5261163	XIL-OEGB16GS	5261160
FORD TRUCKS MODELS	ITEM#	PART#	ITEM#	PART#
17'+ Ford SuperDuty	XIL-OEGC17FSD	5062173	XIL-OEGB17FSD	5062170
11'-16 Ford SuperDuty	XIL-OEGC11FSD	5062113	XIL-OEGB11FSD	5062110
15'+ Ford F-150	XIL-OEGC15F150	5061153	XIL-OEGB15F150	5061150
13'-14 Ford F-150	XIL-OEGC13F150	5061133	XIL-OEGB13F150	5061130
JEEP MODELS	ITEM#	PART#	ITEM#	PART#
07'-16 Jeep Wrangler	XIL-OEGC07JK	5565073	XIL-OEGB07JK	5565070
NISSAN TRUCK MODELS	ITEM#	PART#	ITEM#	PART#
16'+ Nissan Titan	XIL-OEGC16NT	5461163	XIL-OEGB16NT	5461160
TOYOTA TRUCKS MODELS	ITEM#	PART#	ITEM#	PART#
14'+ Toyota Tundra	XIL-OEGC14TT	5361143	XIL-OEGB14TT	5361140
16'+ Toyota Tacoma	XIL-OEGC16TTA	5360163	XIL-OEGB16TTA	5360160
12'-15 Toyota Tacoma	XIL-OEGC12TTA	5360123	XIL-OEGB12TTA	5360120
14'+ Toyota 4-Runner	XIL-OEGC14T4R	5365143	XIL-OEGB14T4R	5365140



TRUCK | KITS



BUMPER | LIGHT BAR KITS

The Vision X OE Kits are designed with the customer in mind with easy direct to factor fitting kits that take little to no modification to install. Everything kit comes with direct to factory plugs to make the connection between your new lights and your factory plugs.

*Not all kits shown

FORD TRUCK | BUMPER LIGHT KITS



XIL-OEB09F150	9891057	09'-14 Ford F-150	Brackets Only + Connectors
XIL-OEB09F150PX36	9891156	09'-14 Ford F-150	20" Xmitter Prime Xtreme 10°
XIL-OEB09F150LPX15	9891163	09'-14 Ford F-150	20" Xmitter Lo Pro Xtreme 10°
XIL-OEB09F150ECO	9891170	09'-14 Ford F-150 Eco Boost	2x 5" Xmitter Prime Xtreme 10°
XIL-OEB09F150ECO A	9911052	09'-14 Ford F-150 Eco Boost	2x 5" Xmitter Prime Amber 10°
XIL-OEB10FR	9887340	09'-14 Ford Raptor	Brackets Only + Connectors
XIL-OEB10FRPX3610	9887357	09'-14 Ford Raptor	20" Xmitter Prime Xtreme 10°
XIL-OEB0810FSD	9891835	08'-10 Ford SuperDuty	Brackets Only + Connectors
XIL-OEB0810FSDPX3610	9891842	08'-10 Ford SuperDuty	20" Xmitter Prime Xtreme 10°
XIL-OEB0810FSDXPI12M	9892306	08'-10 Ford SuperDuty	24" XPI
XIL-OEB1114FSD	9891866	11'-14 Ford SuperDuty	Brackets Only + Connectors
XIL-OEB1114FSDPX3610	9891873	11'-14 Ford SuperDuty	20" Xmitter Prime Xtreme 10°
XIL-OEB1114FSDXPI12M	9892290	11-16 Ford SuperDuty	24" XPI

DODGE TRUCK | BUMPER LIGHT KITS



XIL-OEB0913DR	9889238	10-16 Dodge Ram	Brackets Only + Connectors
XIL-OEB0913DRPX3610	9889245	10-16 Dodge Ram	20" Xmitter Prime Xtreme 10°

GMC TRUCK | BUMPER LIGHT KITS



XIL-OER14GS	5272140	14+ GMC Sierra	Brackets Only + Connectors
XIL-OER14GSXPR15M	5272141	14+ GMC Sierra	30" XPR
XIL-OER14GSXPR15S	5272142	14+ GMC Sierra	30" XPR-S
XIL-OER14GSXPRH15S	5272146	14+ GMC Sierra	30" XPR-S Halo



FOG LIGHT | KITS



With the Vision X Fog Light kit, you can rest assured that the LEDs inside are the best LEDs obtainable. Top-binned and perfectly constructed, these high powered LEDs are capable of outputting the maximum amount of lumens per LED.

The Vision X OE Kits are designed with the customer in mind with easy direct to factor fitting kits that take little to no modification to install. Everything kit comes with direct to factory plugs to make the connection between your new lights and your factory plugs.

(Reference VISIONXLIGHTING.com for ALL applications)

*Not all kits shown

FORD TRUCK | FOG LIGHT KITS



ITEM#	PART#	VEHICLE APPLICATION	LIGHTS
XIL-OE17FR	9906072	17'+ Ford Raptor	Brackets Only + Connectors
XIL-OE17FROP	9906089	17'+ Ford Raptor	4x Optimus Sq. 10°
XIL-OE17FROPH	9906096	17'+ Ford Raptor	4x Optimus Sq. 15° Halo
XIL-OE17FROPHA	9907208	17'+ Ford Raptor	4x Optimus Sq. 15° Amber Halo
XIL-OE17FROPMP	9911243	17'+ Ford Raptor	4x Optimus Sq. 10° & 20°
XIL-OE10FR	9160870	10'-14 Ford Raptor	Brackets Only + Connectors
XIL-OE10FROP	9133515	10'-14 Ford Raptor	4x Optimus Sq. 10°
XIL-OE10FROPH	9892450	10'-14 Ford Raptor	4x Optimus Sq. 15° Halo
XIL-OE9913FSD	9891194	99'-16 Ford SuperDuty	Brackets Only + Connectors
XIL-OE9913FSDDURA	9891200	99'-16 Ford SuperDuty	2x Dura 4 10°

DODGE TRUCK | FOG LIGHT KITS



ITEM#	PART#	APPLICATION	LIGHTS
XIL-OE0913DR	9889221	10'-16 Dodge Ram	Brackets Only + Connectors
XIL-OE0913DROP	9889252	10'-16 Dodge Ram	2x Optimus Sq. 10°
XIL-OE0913DROP1MX2	9890685	10'-16 Dodge Ram	4x Optimus Sq. 10° & 25°
XIL-OE0210DR	4002333	02'-10 Dodge Ram	Brackets Only + Connectors
XIL-OE0210DRUMX	9133065	02'-10 Dodge Ram	2x UMX Round 10°

GMC TRUCK | FOG LIGHT KITS



ITEM#	PART#	APPLICATION	LIGHTS
XIL-OE0711GSUMX	4002388	07-13 GMC Sierra	Brackets Only + Connectors
XIL-OE0711GSUMX	9133157	07-13 GMC Sierra	2x UMX Round 10°

CHEVY TRUCK | FOG LIGHT KITS



ITEM#	PART#	APPLICATION	LIGHTS
XIL-OE0711CS	4002340	07-13 Chevy Silverado	Brackets Only + Connectors
XIL-OE0711CSS1100	9120829	07-13 Chevy Silverado	4x Solstice Solo 10°

TOYOTA TRUCK | FOG LIGHT KITS



ITEM#	PART#	APPLICATION	LIGHTS
XIL-OE0711TT	4002296	07-14 Toyota Tundra	Brackets Only + Connectors
XIL-OE0711TTUMX	9133249	07-14 Toyota Tundra	2x UMX Round 10°



JEEP | KITS

HEADLIGHT | KITS



The DOT Approved VX Series LED Headlight leads the LED Headlight industry in both style and performance. With an integrated LED Halo Ring, the VX Headlight is sure to turn heads while also delivering a dramatically improved night driving experience over factory headlights.

JEEP JK SPECIFIC CANBUS
JK Model Headlight kits come
standard with Canbus Adaptor.



JEEP JK SPECIFIC | MODEL

XIL-7RDKITJK	9892733	CHROME	WHITE
XIL-7RDBKITJK	9892825	BLK. CHROME	WHITE
XIL-7RDAKITJK	9917566	CHROME	AMBER
XIL-7RDBAKITJK	9917573	BLK. CHROME	AMBER

ALL OTHER JEEP | MODEL

XIL-7RDKIT	9891224	CHROME	WHITE
XIL-7RDBKIT	9892443	BLK. CHROME	WHITE

* KITS INCLUDE 2 LIGHTS + HARNESS

* KITS INCLUDE 2 LIGHTS + HARNESS

WINDSHIELD | LIGHT BAR MOUNT



The Light Bar Windshield Mount bolts directly into existing holes allowing for quick installation. The Vision X Jeep JK Windshield mount is designed to fit any 50" + Light bar with mounting feet such as our Xmitter Prime Xtreme Light Bar with 47,520 Raw Lumens or our XPR-S Light Bar with Unbeatable Distance. The Jeep JK Windshield Mount is also adaptable for mounting traditional round style pod lights such as our Light Cannons or HID Lights.

XIL-OEW0713JKV2 9888422 07-13 Jeep JK



FOG LIGHT | KITS

With the Vision X Fog Light kit, you can rest assured that the LEDs inside are the best LEDs obtainable. Top-binned and perfectly constructed, these high powered LEDs are capable of outputting the maximum amount of lumens per LED.

The Vision X OE Kits are designed with the customer in mind with easy direct to factor fitting kits that take little to no modification to install. Every kit comes with direct to factory plugs to make the connection between your new lights and your factory plugs.

(Reference VISIONXLIGHTING.com for ALL applications)

JEEP | FOG LIGHT KITS



ITEM#	PART#	VEHICLE APPLICATION	LIGHTS
XIL-OE0709JKV2	9145662	07-09 Jeep JK	Brackets Only + Connectors
XIL-OE0709JKV2OPR	9145754	07-09 Jeep JK	2x Optimus Rnd. 10°
XIL-OE0709JKV2OPRH	9891811	07-09 Jeep JK	2x Optimus Rnd. 15° Halo
XIL-OE1012JKV2	9154664	2010+ Jeep JK	Brackets Only + Connectors
XIL-OE1012JKV2OPR	9154756	2010+ Jeep JK	2x Optimus Rnd. 10°
XIL-OE1012JKV2OPRH	9891828	2010+ Jeep JK	2x Optimus Rnd. 15° Halo
XIL-OE13JKX	9891064	2013+ Jeep JK X	Brackets Only + Connectors
XIL-OE13JKXOPR	9891088	2013+ Jeep JK X	2x Optimus Rnd. 10°
XIL-OE13JKXOPRH	9892474	2013+ Jeep JK X	2x Optimus Rnd. 15° Halo

A-PILLAR & HOOD | LIGHT KITS

JEEP | A-PILLAR LIGHT KITS



ITEM#	PART#	VEHICLE APPLICATION	LIGHTS
XIL-OEA0713JK	9888392	07+ Jeep JK	Brackets Only + Connectors
XIL-OEA0713JKCPZ1	9888415	07+ Jeep JK	2x 4.5" Light Cannon
XIL-OEA0713JKOP1	9888408	07+ Jeep JK	2x Optimus Rnd. 10°
XIL-OEA0713JKOPH	9892481	07+ Jeep JK	2x Optimus Rnd. 15° Halo
XIL-OEA9706TJ	9892788	97-06 Jeep TJ	Brackets Only + Connectors
XIL-OEA9706TJCPZ1	9892795	97-06 Jeep TJ	2x 4.5" Light Cannon
XIL-OEA9706TJOP1	9892801	97-06 Jeep TJ	2x Optimus Rnd. 10°
XIL-OEA9706TJOPH	9892818	97-06 Jeep TJ	2x Optimus Rnd. 15° Halo

JEEP | HOOD LIGHT BAR KITS



ITEM#	PART#	VEHICLE APPLICATION	LIGHTS
XIL-OEH0713JK	9890975	07+ Jeep JK	Brackets Only
XIL-OEH0713JKPX36	9891002	07+ Jeep JK	20" Xmitter Prime Xtreme 10°
XIL-OEH0713JKXPI12	9891019	07+ Jeep JK	24" XPI



HID LIGHT SERIES



PERFORMANCE HID FOR LONG RANGE OUTPUT

The Xtreme Performance HID was engineered with input from Baja 1000 winning racers to further enhance the race proven Vision X HID series. Each light includes a weatherproof Deutsch Connector with Plug-and-Play Harness and features a durable, lightweight polycarbonate blackout cover.

The HID XP Series is currently trusted by professional off-road rally teams in the United States and Canada.

Internal Ballast & Starter

The ballast takes the standard 12V input power and increases this to the 32,000V that the bulb operates at and the starter is used to ignite the bulb. Vision X uses all internal components for an all-in-one package

8.7"
50W | 4.17A | 5,000 Lumens



6.7"
50W | 4.17A | 5,000 Lumens






DIE-CAST ALUMINUM
Housing is constructed using a lightweight aluminum.

BOROSILICATE GLASS LENS
Durable protective glass lens that is resistant to thermal shock.

INTERNAL BALLAST & STARTER
Integrated into the housing for a complete off-road ready package.




8.7" XP MODEL



ITEM#	PART#	LUMENS	DISTANCE	BEAM
HID-8550XP	9119922	5,000	3,937'	EURO
HID-8552XP	4000490	5,000	3,937'	SPOT

6.7" XP MODEL



ITEM#	PART#	LUMENS	DISTANCE	BEAM
HID-6552XP	4000483	5,000	3,280'	SPOT

HALOGEN SEALED BEAM HEADLIGHT REPLACEMENT



ROUND
7.0" | 5.75"



SQUARE
5x7" | 4x6"



SEALED BEAM DIRECT REPLACEMENT

The Sealed Beam Housing are the perfect upgrade to your OEM headlight. The die-cast housing are constructed with a Borosilicate glass lens which provide a tougher alternative to the stock plastic lens. Coupled with the advanced multi-surface reflector, the Sealed Beam Headlight series are made to last.


*Bulb Not Included

ROUND MODEL

ITEM#	PART#	SIZE	BULB TYPE
VX-7RD	4004047	7.0"	H4
VX-575	4004030	5.75"	9007

SQUARE MODEL

ITEM#	PART#	SIZE	BULB TYPE
VX-57	4004023	5x7"	H4
VX-46	4004016	4x6"	9007



HALOGENBULBS

VX-D9004 | 65/45W



VX-D9005 | 65W



VX-D9006 | 55W



VX-D9007 | 65/55W



VX-DH1 | 55W



VX-DH3 | 60/66W



VX-DH4 | 60/55W



VX-DH7 | 55W



VX-DH10 | 42W



VX-DH11 | 55W



VX-DH13 | 55/60W



HALOGEN BULBS FOR BRIGHTER AND WHITER LIGHT

Increase brightness by up to 50% with the Vision X headlight bulbs. Vision X headlight bulbs provide a more natural light for increased visibility and safety. With three lines to choose from, we offer the perfect mix of cost and performance for any driver.

Unlike other Halogen Bulbs on the market, Vision X D-Series bulbs are DOT Approved and offer a lifetime warranty. Enhance your night time driving experience while cooperating with all laws and regulations.

* For H&L Series Bulbs refer to website for Part #s.

ITEM#	PART#	REPLACES	FILAMENT
VX-D9004	4001527	9004	DUAL
VX-D9005	4001534	9005	SINGLE
VX-D9006	4001558	9006	SINGLE
VX-D9007	4001572	9007	DUAL
VX-DH1	4001589	H1	SINGLE
VX-DH3	4001596	H3	SINGLE
VX-DH4	4001602	H4	DUAL
VX-DH7	4001619	H7	SINGLE
VX-DH10	4001633	H10	SINGLE
VX-DH11	4001657	H11	SINGLE
VX-DH13	4001664	H13	DUAL

SPORT | MARINE



MARINE GRADE COATING SAME LED TECHNOLOGY

Submersible up to 100 feet, the Subaqua offers a powerful LED light module for underwater applications. The 6 LED model offers double the effective light output of the previous 4 LED generation Subaqua. Designed for transom lighting, dock lighting and any underwater application.






Additionally, the Subaqua is outfitted with a 4 foot marine-grade cable that will not only ensure durability, but also make installation a breeze.

LED Color Options :     

FLOOD OPTICS
Utilizing a medium beam 25 degree optic the Subaqua has optimum underwater operation.

COMPACT SIZE
In a compact 4.13" diameter the 6 LED Subaqua fits anywhere.

LOW POWER DRAW
With an extremely low power draw of 1.5 amps, the Subaqua will not put a large strain on your boat battery.

ITEM#	PART#	LUMENS	COLOR
XIL-U625A	9897967	1,368	 Amber
XIL-U625B	9897554	1,368	 Blue
XIL-U625G	9897561	1,368	 Green
XIL-U625R	9897585	1,368	 Red
XIL-U625W	9897578	1,368	 White

SAME LED TECHNOLOGY MARINE GRADE COATING

The unique gloss coating used on Maritime products from Vision X greatly reduces the dramatic impact that saltwater has on traditional lighting fixture housings.

4.7" LIGHT CANNON | MARINE



ITEM#	PART#	WATTS	LUMENS	BEAM
CTL-CPZ110W	9898858	25	2,500	10°
CTL-CPZ110WKIT	9898841	50	5,000	10°

DURA 4 & DURA 6 | MARINE



ITEM#	PART#	WATTS	LUMENS	BEAM
DURA-410W	9891477	20	2,112	10°
DURA-440GW	9891491	20	2,112	40°
DURA-460GW	9891507	20	2,112	60°
DURA-610GW	9891521	30	3,696	10°
DURA-640GW	9891552	30	3,696	40°
DURA-660GW	9891545	30	3,696	60°

XMITTER PRIME XTREME | MARINE



ITEM#	PART#	LENGTH	WATTS	LUMENS	BEAM
XIL-PX1210W	9170503	7.90"	60	6,336	10°
XIL-PX12MW	9907390	7.90"	60	6,336	Mixed
XIL-PX1810W	9902975	11.10"	90	9,504	10°
XIL-PX1840W	9904627	11.10"	90	9,504	40°
XIL-PX1860W	9902982	11.10"	90	9,504	60°
XIL-PX3610W	9163215	20.60"	180	10,008	10°
XIL-PX5410W	9903019	30.20"	270	28,512	10°
XIL-PX5460W	9911458	30.20"	270	28,512	60°
XIL-PX72MW	9911441	39.81"	360	38,016	Mixed
XIL-PX90MW	9908861	49.37"	450	47,520	Mixed

XMITTER LO PRO | MARINE



ITEM#	PART#	LENGTH	WATTS	LUMENS	BEAM
XIL-LPX310W	9170411	4.65"	15	1,584	10°
XIL-LPX910W	9902890	12.21"	45	4,752	10°
XIL-LPX940W	9123073	12.21"	45	4,752	40°
XIL-LPX1540W	9159706	19.77"	75	7,920	40°
XIL-LPX1810W	9170596	23.55"	90	9,504	10°
XIL-LPX2740W	9887692	34.89"	135	14,256	40°

LED ACCENT LIGHTING



LED POD LIGHTS

Vision X offers a diverse line of accent pod lighting. Easily attract attention to your vehicle with the wide variety of colors. Each durable pod and strip light accepts 9-32 volt input and features a strong black housing. Ideal for professional grade applications and weekend enthusiasts alike.

PRO POD | LED LIGHT



Features:
140 Lumens Per Pod
5 Color Options
3ft. Power Cord
Weatherproof Housing

ITEM#	PART#	LUMENS	COLOR	SIZE
XIL-PDA	9136219	140(ea)	Amber	1.76"
XIL-PDB	9136301	140(ea)	Blue	1.76"
XIL-PDG	9136394	140(ea)	Green	1.76"
XIL-PDR	9136486	140(ea)	Red	1.76"
XIL-PDW	9136127	140(ea)	White	1.76"

POD | LED LIGHT



Features:
70 Lumens Per Pod
5 Color Options
10ft. Power Cord
Acrylic Lens


ITEM#	PART#	LUMENS	COLOR	SIZE
HIL-DA	4004078	70(ea)	Amber	1.25"
HIL-DB	4004139	70(ea)	Blue	1.25"
HIL-DG	4004146	70(ea)	Green	1.25"
HIL-DR	4004061	70(ea)	Red	1.25"
HIL-DW	4004054	70(ea)	White	1.25"

TANTRUM | POD KIT



Features:
560 Lumens Per Kit
Includes 8 Pods
Multi-Speed Scanning
Flash Control
Wireless Remote

ITEM#	PART#	LUMENS	COLOR	SIZE
HIL-STA	4005662	560 (Kit)	Amber	1.25"
HIL-STB	4005372	560 (Kit)	Blue	1.25"
HIL-STG	4005396	560 (Kit)	Green	1.25"
HIL-STR	4005389	560 (Kit)	Red	1.25"
HIL-STW	4005419	560 (Kit)	White	1.25"
HIL-STM	4005679	560 (Kit)	Multi	1.25"



LED STRIP | LIGHTS

Strip Lights are available in standard (for switched applications) and touch models, which feature 50% Brightness, 100% Brightness and Off modes.



STRIP | LED LIGHT

Features:
Compact Design
Touch Activation
(Optional)

ITEM#	PART#	LUMENS	TOUCH	LENGTH
XIL-ST7.5	9136219	140(ea)	Yes	7.4"
XIL-ST12	9136301	140(ea)	Yes	11.9"
XIL-SL7.5	9136394	140(ea)	No	7.4"
XIL-SL12	9136486	140(ea)	No	11.9"

LED UTILITY FLOOD | LIGHTS

The Utility Market Flood Light features 32 wide angle LEDs making this the perfect lighting solution for applications such as back-up lighting, area lighting, or a number of other applications.



UTILITY | FLOOD LIGHT

Features:
500 Lumens (ea)
120° Flood Beam
6 Color Options

ITEM#	PART#	LUMENS	COLOR	SIZE
XIL-UF32A	9119298	500	Amber	3.4"x1.9"x0.9"
XIL-UF32B	9121185	500	Blue	3.4"x1.9"x0.9"
XIL-UF32G	9121277	500	Green	3.4"x1.9"x0.9"
XIL-UF32R	9121369	500	Red	3.4"x1.9"x0.9"
XIL-UF32P	9135045	500	Purple	3.4"x1.9"x0.9"
XIL-UF32W	4001824	500	White	3.4"x1.9"x0.9"



MOUNTING SOLUTIONS



LICENSE PLATE MOUNT | KIT

The License Plate Mount makes it easy to add any 12" Vision X LED Light Bar meaning that you can add up to 4,700 lumens to your vehicle with no drill holes or mess.

The License Plate Mount goes behind the license plate using the same holes as the license plate already uses, for easy plug and play mounting.

ITEM#	PART#	LIGHTS
XIL-LICENSEP	4000308	Brackets Only
XIL-LICENSEPLPX910	9887012	12" Xmitter Lo Pro 10°



TOW HITCH MOUNT | KITS

The Vision X 11.5" backup light receiver adapter uses machined 6061 aluminum and will fit over any Class 3 or 4 (2") tow hitch.

The tow hitch complete lighting kit includes a pair of Dura Minis or Solo Pods.

ITEM#	PART#	LIGHTS
XIL-SRECEIVER	4000322	Brackets Only
XIL-SRECEIVERDURAMX2	9899121	2x Dura Mini 60°
XIL-SRECEIVERS1101X2	4008595	2x Solstice Solo 35°



TUBE CLAMP | MOUNTS

*Includes 2 Clamps

ITEM#	PART#	SIZE	ITEM#	PART#	SIZE
XIL-C075	9897325	0.75"	XIL-C200	9893372	2.0"
XIL-C100	9897301	1.0"	XIL-C225	9893389	2.25"
XIL-C125	9897288	1.25"	XIL-C250	9893396	2.50"
XIL-C150	9897264	1.50"	XIL-C300	9893402	3.50"
XIL-C175	9897240	1.75"			



FLUSH MOUNT | KITS

ITEM#	PART#	LIGHTS
DURA-M460FLUSH	9899138	Dura Mini 60°
DURA-460FLUSH	9892993	Dura 4 60°
DURA-660FLUSH	9893006	Dura 6 60°
XIL-SFLUSHS1130	9907352	Solstice Solo 30°



LIGHT BAR END CAP | MOUNTS

Using End Cap Mounts allow you to mount your light bar in tight spots where standard mounting won't cut it. Ideal for Roof, Bumper and Grill locations.

ITEM#	PART#	DESIGNED FOR
XIL-LPECM	9888811	Xmitter Lo Pro
XIL-PECM	9889191	Xmitter Prime
XPI-EM	9892917	XPR & XPR-S



SECURITY | HARDWARE

Security hardware helps protect your lights against theft by only allowing the use of the unique key tool that is supplied with each set.

All Security Hardware comes with 2 Security Nuts Or Bolts and 1 key tool.

SECURITY BOLTS

ITEM#	PART#	SIZE	APPLICATION
XIL-SB0615	9893440	M6 X 15	XPR, XPR-S
XIL-SB0620	9893457	M6 X 20	Any M6 X 20 Bolt
XIL-SB0815	9893419	M8 X 15	Optimus, Duralux
XIL-SB0820	9893426	M8 X 20	Any M8 X 20 Bolt
XIL-SB0825	9893433	M8 X 25	Any M8 X 25 Bolt

SECURITY NUTS

ITEM#	PART#	SIZE	APPLICATION
XIL-SN06	9897349	M6	Dura Mini, Xmitter Prime Xtreme, Xmitter Lo Pro, Solstice Solo
XIL-SN08	9893488	M8	4.7" Cannon, Optimus
XIL-SN10	9893471	M10	All Cannon, Optimus Dual
XIL-SN12	9893464	M12	Any M12 Mounting Hardware

LIGHTING | ACCESSORIES



BORG CONTROL | MODULE


Unlock the full potential of your Vision X LED by equipping it with Borg. Everything from strobing intervals to light intensity can be controlled by your smartphone via bluetooth connection. Additionally, you'll have the power to see valuable data relayed from your LED Light such as humidity, temperature, voltage, RSSI, and elevation. Even further, you can track your g-force level and acceleration with only a few taps.

ITEM#	PART#	WORKS WITH
XIL-BORGPC	9893273	Optmius, Xmitter Prime Xtreme, Xmitter Lo Pro, Solstice Prime, 3.7" Mini Cannon



PRIME DIMMER | MODULE

ITEM#	PART#	CONTROL	DIMMER RANGE
XIL-PDIMMER	4009257	Dial Knob	50% - 100%
XIL-PDIMMERB	4009264	Button	50% Or 100%



VX HEADLIGHT | MODULE

ITEM#	PART#	FUNCTION
P-HLHI4	9895475	Engages all three beam modes at once for maximum visibility
P-HLHI4H13	9917542	Engages all three beam modes at once for maximum visibility w/H13 Plugs
P-HLCBA	9892757	Removes any electrical interference from vehicle to prevent flickering
P-HLCBAH13	9898476	Removes any electrical interference from vehicle to prevent flickering w/H13 Plugs



UNIVERSAL HARNESSES | WIRING

ITEM#	PART#	CONNECTORS	APPLICATION
P-HARNESS.2XIL	4006201	Terminals	2 Light Harness
P-HARNESS.XIL	4006195	Terminals	1 Light Harness
P-HARNESS.HO	9888354	Terminals	High Amp 1 Light Harness
P-DY2M1F	4006263	Deutsch DT Series	Y Adapter
P-UCA	4006218	Cigarette Adapter	Cigarette Power Cord



LIGHT BAR | COVERS

XPR/XPR-S | BLACKOUT



ITEM#	PART#	LENGTH / MODEL
PCV-XP3SBL	9898797	6" XPR / XPR-S
PCV-XP6SBL	9898803	12" XPR / XPR-S
PCV-XP9MBL	9898810	19" XPR / XPR-S
PCV-XP12MBL	9898728	24" XPR / XPR-S
PCV-XP15MBL	9898735	30" XPR / XPR-S

ITEM#	PART#	LENGTH / MODEL
PCV-XP18MBL	9898742	34" XPR / XPR-S
PCV-XP21MBL	9898759	40" XPR / XPR-S
PCV-XP24MBL	9898766	45" XPR / XPR-S
PCV-XP27MBL	9898773	51" XPR / XPR-S

XMITTER LO PRO | BLACKOUT



ITEM#	PART#	LENGTH / MODEL
PCV-LP3BL	9155296	5" Xmitter Lo Pro
PCV-LP6BL	9155388	8" Xmitter Lo Pro
PCV-LP9BL	9135946	12" Xmitter Lo Pro
PCV-LP15BL	9155470	20" Xmitter Lo Pro
PCV-LP18BL	9135762	31" Xmitter Lo Pro
PCV-LP24BL	9155654	35" Xmitter Lo Pro
PCV-LP33BL	9155838	42" Xmitter Lo Pro
PCV-LP36BL	9155920	50" Xmitter Lo Pro

XMITTER LO PRO | AMBER



ITEM#	PART#	LENGTH / MODEL
PCV-LP3Y	9165103	5" Xmitter Lo Pro
PCV-LP6Y	9165196	8" Xmitter Lo Pro
PCV-LP9Y	9136035	12" Xmitter Lo Pro
PCV-LP15Y	9164564	20" Xmitter Lo Pro
PCV-LP18Y	9135854	31" Xmitter Lo Pro
PCV-LP24Y	9164748	35" Xmitter Lo Pro
PCV-LP33Y	9164922	42" Xmitter Lo Pro
PCV-LP36Y	9165011	50" Xmitter Lo Pro

XMITTER PRIME XTREME | BLACKOUT



ITEM#	PART#	LENGTH / MODEL
PCV-P6BL	9156019	5" Xmitter Prime Xtr
PCV-P12BL	9156101	8" Xmitter Prime Xtr
PCV-P18BL	9156194	11" Xmitter Prime Xtr
PCV-P30BL	9156378	18" Xmitter Prime Xtr
PCV-P36BL	9156460	20" Xmitter Prime Xtr
PCV-P54BL	9156736	30" Xmitter Prime Xtr
PCV-P72BL	9157009	40" Xmitter Prime Xtr
PCV-P90BL	9888064	50" Xmitter Prime Xtr

XMITTER PRIME XTREME | AMBER



ITEM#	PART#	LENGTH / MODEL
PCV-P6Y	9166186	5" Xmitter Prime Xtr
PCV-P12Y	9165288	8" Xmitter Prime Xtr
PCV-P18Y	9165370	11" Xmitter Prime Xtr
PCV-P30Y	9165554	18" Xmitter Prime Xtr
PCV-P36Y	9165646	20" Xmitter Prime Xtr
PCV-P54Y	9165912	30" Xmitter Prime Xtr
PCV-P72Y	9166278	40" Xmitter Prime Xtr
PCV-P90Y	9887883	50" Xmitter Prime Xtr

HEAD OFFICE

JOHANNESBURG RANDBURG

TIME ACCESS AND AUTOMOTIVE SYSTEMS

23 STEVENS ROAD, BLAIRGOWRIE, RANDBURG

South Africa

Tel: +27(0)11 326 4146

Cel +27(0)82 375 3280

Fax: +27(0)11 781 4392

adriang@lantic.net

www.t-a-s.co.za

www.timeandautomotive.co.za

